



BROAD SPECTRUM DISINFECTANT

ONE APPLICATION LASTS UP TO SEVEN DAYS

- MULTICIDE[®] is effective against viruses, bacteria, fungi, moulds, yeasts and protozoa
- Effective even in dirty conditions
- Residually active for 7 days
- Totally non-corrosive in its diluted form
- Rapid kill time
- Stable even when diluted for at least 12 months
- Bio-degradable

DIRECTIONS FOR USE

After thoroughly cleaning out the pig accommodation, spray MULTICIDE[®] diluted at 1:150 onto all surfaces. MULTICIDE[®]'s residual action means that protection continues for several days.

Where serious disease problems exist, dilute MULTICIDE[®] at 1:50.

Pigs can be placed in pens immediately after application of MULTICIDE[®].

In farrowing pens, knapsack spraying of MULTICIDE[®] diluted at 1:150 once a week reduces disease problems. It is not necessary to remove the pigs, but do not spray directly onto the animals.

MULTICIDE[®] is phenol-free and is non-toxic.

MERIDEN ANIMAL HEALTH LIMITED
Cranfield Innovation Centre, University Way, Cranfield Technology Park,
Cranfield, Bedfordshire, MK43 0BT, England.

Tel: +44 (0) 1234 436 130 Fax: + 44 (0) 1234 436 131
Email: sales@meriden-ah.com Website: www.meriden-ah.com



THE ULTIMATE BROAD SPECTRUM DISINFECTANT

VIRUSES

PATHOGENS	DISEASES	PROVEN MULTICIDE® DILUTION RATE
Porcine Parvovirus	Abortion, Stillbirths, Infertility	1:180
Porcine Enterovirus	S.V.D.	1:300
Herpesvirus	Aujesky's Disease	1:1400
TGE Virus	Transmissible Gastroenteritis	1:900
Porcine Enterovirus	Teschen or Talfan Disease Porcine Poliomyelitis	1:300
Pestivirus	Hog Cholera, Classical Swine Fever	1:200
Vesiculovirus	Vesicular Stomatitis	1:150
Influenza Virus	Swine Influenza	1:150
Suipoxvirus	Swine Pox	1:500
Rotavirus	Diarrhoea	1:200
Porcine Adenovirus Types 1-4	Respiratory Disease, Diarrhoea, Meningitis	1:500

BACTERIA

PATHOGENS	DISEASES	PROVEN MULTICIDE® DILUTION RATE
<i>Pasteurella</i> spp.	Septicaemia, Atrophic Rhinitis, Swine Plague	1:200
<i>Streptococcus</i> spp.	Porcine Streptococcal Meningitis	1:500
<i>Staphylococcus</i> spp.	Joint-III, Mastitis	1:1500
<i>Escherichia coli</i>	Scour, Diarrhoea	1:1500
<i>Klebsiella pneumoniae</i>	Mastitis	1:3500
<i>Salmonella</i> spp.	Salmonellosis, Septicaemia	1:150
<i>Corynebacterium</i> spp.	Mastitis, Foot-Rot, Cystitis	1:7000
<i>Mycoplasma</i> spp.	Enzootic Pneumonia, Atrophic Rhinitis, Polyarthritis	1:200
<i>Haemophilus</i> spp.	Glassers Disease, Pleuro- Pneumonia	1:1600
<i>Pasteurella</i> spp.	Septicaemia, Atrophic Rhinitis	1:3200
<i>Erysipelothrix</i> spp.	Abortion, Septicaemia, Arthritis	1:8000